


Ready To Go

SimpleSpec 500.04™

Installation Manual



For more information, please visit [3-form.com](https://www.3-form.com) or call 800.726.0126

NOVEMBER 2023 | MAN-RTG-500-04 | REV 004 © 2023 3form, Inc. All rights reserved.


Contents Overview

(x1)



Chroma 12" x 96" x 1"

(x1)




Fin Base Profile
122" Length
0-60-2266

(x2)




Fin Cover Profile
122" Length
0-60-2267

(x2)




Aluminum Shim for Fin
0-60-2274

(x1)



Light Drive RGB -
DMX Wall Control
3-60-510

(x4)



M6 x 40mm
Std SHCS
3-15-0709

(x4)



M6 Washer
3-15-3040

(x4)




M6 Hexagon Nut
3-15-3060

(x1)




96W Dimmable
Power Supply
3-60-765

(x1)




Fin End Cap KIT
3-60-2268-K

(x1)




9 Channel PWM
DMX Interface
3-60-001

(x1)




Fin End Cap with
Strain Relief Hole KIT
3-60-2271-K

(x1)




Fin End Cap
3-60-2268

(x2)




Lightbox Heat
Sink Screw
3-15-7780

(x1)




Fin End Cap
3-60-2271

(x2)




Lightbox Heat
Sink Screw
3-15-7780

Overview





Installation

Required Tools




Installation

1 Drill and Anchor



Installation

2 Attach Cover Profiles



Installation

3 Connect Electrical

Have a qualified electrician wire the lighting to a remote driver (in remote location) and test the lights.

